Tuesday, 11/6/2007 3:43:03 PM Kim Johnston **Process Sheet Drawing Name** : SUPPORT : CU-DAR001 Dart Helicopters Services Customer : 35593A Job Number : 10452 **Estimate Number** : D32781 Part Number P.O. Number D3278 REV. C **Drawing Number** : 11/6/2007 S.O. No. : This Issue : N/A : NC Project Number Prsht Rev. : C : SMALL /MED FAB : // Type **Drawing Revision** First Issue : 35287A Material Previous Run Each 40 Um: : 11/30/2007 Qty: Due Date Written By Checked & Approved By New issue KJ/JLM 04.04.19 Comment В 07.09.06 rev.c dwg EC verified by: JLM **Additional Product** Job Number: Description: Seq. #: M6061T6B1000X02000 6061-T6 Bar 1.0" x 2.0' 1.0 Comment: Qty.: Total 9:8154 f(s) 0.2454 f(s)/Unit Material: 6061-T6/T651 (QQ-A-200/8) 1.00" thick Batch: 105817 (M6061T6B1.000x02.000). SHEAR 2.0 SHEAR Comment: SHEAR Cut blank: 2.00" x 1.00" x 2.550" long HAAS CNC VERTICAL MACHINING #1 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 1- Machine as per Folio FA405 and Dwg D3278 2- Deburr and Tumble Identify as D3278-1 INSPECT PARTS AS THEY COME OF MACHINE 4.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND, CHECK QC8 5.0 Comment: SECOND CHECK 0208/02/08

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHA | WORK ORDER CHANGES | | | | | |
|------|------|------------------|--------------------|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | - P | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Part No: _ | _ PAR #: | Fault Category: | NCR: Yes No | DQA: | Date: <u>68</u> 0.3 / 16 |
|------------|--------------|-----------------|-------------|--------|----------------------------|
| | | | QA: N/C C | losed: | Date: |
| | | | | | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|----------------------------------|----------------------|------------------------------|----------------|------------------------|-----------|--------------------------|--|--|
| DATE | | Description of NC | | Corrective Action Section B | | | Approval | Annroyal | | |
| | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Verification Section C | Chief Eng | Approval QC Inspector | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | - | | | | |
| | | • | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | · | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

NOTE: Date & initial all entries

Tuesday, 11/6/2007 3:43:03 PM Date: User: → Kim Johnston **Process Sheet** Drawing Name: SUPPORT Customer: CU-DAR001 Dart Helicopters Services Job Number: 35593A Part Number: D32781 Job Number: Description: Seq. #: Machine Or Operation: HAND FINISHING RESOURCE #1 6.0 HAND FINISHING1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 Comment: POWDER Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVE 8.0 QC3 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock 10.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

| Dart Ae | rospace | Ltd | | | | | |
|---------|---------|------------------------|------------|-------------|-----|-------------------------------------|--------------------------|
| W/O: | | WORK ORDER CH | ANGES | | | | |
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Part No | | PAR #: Fault Category: | NCR: Ye | s No DQ | A: | _ Date: _ | |
| | | | QA | : N/C Close | d: | _ Date: _ | |
| NCD. | | WORK ORDER NON-CONFO | RMANCE (NO | CR) | | | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|----------------------------------|----------------------|------------------------------|----------------|------------------------|-----------------------|--------------------------|--|--|
| | T | Description of NC | | Corrective Action Section B | | Varification | | | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Verification Section C | Approval Chief Eng | Approval QC Inspector | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| - | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

NOTE: Date & initial all entries

| DART AEROSPACE LTD | Work Order: | 35593A |
|------------------------------|--------------|-------------|
| Description: Support | Part Number: | D3278-1 |
| Inspection Dwg: D3278 Rev: C | | Page 1 of 1 |

FIRST ARTICLE INSPECTION CHECKLIST

| X First Article | Prototype |
|-----------------|-----------|
|-----------------|-----------|

| b | | | | 1 | · · · · · · · · · · · · · · · · · · · | |
|----------------------|---------------|---------------------|-------------|------------|---------------------------------------|----------|
| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | Comments |
| Ø0.098 | +0.005/-0.000 | " | | | | |
| 0.359 | +/-0.005 | | | | | |
| 0.609 | +/-0.010 | | ~ • | | | |
| 0.250 | +/-0.010 | | | | | |
| 1.480 | +/-0.005 | | | | | / |
| R0.125 | +/-0.010 | | | | | • |
| 0.119 | +0.005/-0.004 | | | <i>i</i> * | | |
| 2.439 | +/-0.010 | | | | | |
| | | | | | | |
| 1.980 | +/-0.010 | | | | | |
| R0.13 | +/-0.030 | | | | | |
| Ø0.257 | +0.005/-0.000 | | | | | |
| R0.375 | +/-0.010 | | | 18 | | |
| 0.875 | +/-0.010 | | ~ | | | |
| 0.500 | +/-0.010 | | | | | |
| R0.400 | +/-0.010 | | | | • | |
| R1.00 | +/-0.030 | | | | | |
| | | | | | | |
| 1.720 | +/-0.010 | | | | | |
| R0.125 | +/-0.010 | | | - | | |
| 0.125 | +/-0.010 | | | | | |

| Measured by: | Audited by: | Prototype Approval: | N/A |
|--------------|-------------|---------------------|-----|
| Date: | Date: | Date: | N/A |


| Rev | Date | Change | Revised by | Approved |
|-----|----------|-----------------------------------|------------|----------|
| Α | 04.04.19 | New Issue P/O D3278-041 | KJ/JLM | |
| В | 05.06.08 | 0.359 was 0.365; 0.119 was 0.125 | KJ/JLM | |
| С | 07.09.26 | Dimensions updated per Dwg Rev. C | KJ/EC | B |



| DESIG | 9 | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
|-------|-------|-----------|--|--------|
| CHECH | KED 6 | APPROVED, | DRAWING NO. | REV. C |
| | -P | All all | D3278 SHEET | 1 OF 3 |
| DATE | | | TITLE | SCALE |
| 07.0 | 7.24 | | SUPPORT ASSEMBLY | NTS |
| Α | | 04.03.03 | NEW ISSUE | |
| В | | 05.03.31 | CHANGE DIM/TOL TO ENSURE FIT | |
| С | | 07.07.24 | CHANGED RIVETS PER PAR #185 | |



D3278-041 SUPPORT ASSEMBLY



| Qty | Part Number | Description | |
|-----|--------------|------------------|--|
| Х | D3278-041 | SUPPORT ASSEMBLY | |
| | | | |
| 2 | D2230-1 | CLAMP | |
| 1 | D3278-1 | SUPPORT | |
| 1 | D3278-2 | SUPPORT | |
| 1 | D3278-3 | SPACER | |
| _ | İ | | |
| 2 | AN4-13A | BOLT | |
| 4 | AN960JD416 | WASHER | |
| 4 | MS20426AD3-6 | RIVET | |
| 2 | MS21042L4 | NUT | |


SHOP COPY RETURN TO ENGINEERING CONTROLLED COPY UBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



| DESIGN | DRAWN BY | DART AEROS HAWKESBURY, ON | |
|----------|-----------|------------------------------|--------------|
| CHECKED | APPROVED, | DRAWING NO. | REV. C |
| - A | - | D3278 | SHEET 2 OF 3 |
| DATE | 7. | TITLE | SCALE |
| 07.07.24 | | SUPPORT ASSEMBLY | 1:1 |



D3278-1 SUPPORT (SHOWN) D3278-2 SUPPORT (OPPOSITE)

R_{0.125}

1.720

- 1) MACHINE PER DWG FILE "D3278-1.SLDPRT"
- 2) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR

PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) SHOP COPY

PER AMS-QQ-A-200/8 (OR AMS 4160)

RETURN TO

R1.00

Ø0.257

(TYP 2 PLACES)

(REF. DART SPEC. M6061T6B)

ENGINEERING

3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3

0.875

R0.375

UNCONTROLLED COTY SUBJECT TO AMENDMENT

4) BREAK ALL SHARP EDGES 0.005 TO 0.015

WITHOUT NOTICE

5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


6) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



| DESIGN | DRAWN BY | | SPACE LTD DITARIO, CANADA |
|---------------|-------------|------------------|------------------------------|
| CHECKED | APPROVED | DRAWING NO. | REV. C |
| - | | D3278 | SHEET 3 OF 3 |
| DATE | | TITLE | SCALE |
| 07.07.24 | | SUPPORT ASSEMBLY | 1:1 |





D3278-3 SPACER

1) MATERIAL: DELRIN II 150E OR ACETRON GP ACETAL (REF. DART SPEC. M-DELRIN-B0.125x2.000) OR DELRIN II 150E OR ACETRON GP ACETAL (REF. DART SPEC. M-DELRIN-S.125)

2) BREAK ALL SHARP EDGES 0.005 TO 0.015

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED NO.

4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Invoice



DATE INVOICE NO. 3/7/2008 16997

36 Colonnade Road N. Ottawa, Ontario K2E 7J6

on Overdue Accounts

| nx: (613) 226-1719 BILL TO | | | SHIP TO | | |
|--|---|-------------|---|---------|--------|
| Part Aerospace 270 Aberdeen Street (awksbury, Ontario 26A 1K7 | | 0 | Main Finished Goods Location Dart Aerospace 1270 Aberdeen Street Hawksbury, Ontario K6A 1K7 | | |
| P.O. NO. TERMS | SHIP DATE | SHIPPE | D VIA | JOB NO. | FOB |
| 000005655 Net 30 | 3/7/2008 | Pick | -Up | 632 | Globus |
| OTY | DESCRIPTION | ١ | | | |
| 80 D3278-2 Rev.C Support \(\) 1 Machine Setup 1 NRE-Programming | | | • | | |
| Business Number: 1021220 | OS8 IV THAT ITEES LIST ITURED IN ACCORD CHASE ORDER SPET | TED HAVE BI | een Brawings | | |
| Business Number: 1021220 | py that etems list | ED HAVE B | een Drawings } | | |